Minutes Plainwell DDA, BRA and TIFA: November 10, 2020

- 1. Call to Order Meeting called to order at 7:31 a.m. by Larabel
- 2. Pledge of Allegiance
- 3. Roll Call

Members Present: Jim Turley, Nick Larabel, EJ Hart, Erik Wilson, Randy Wisnaski, and Angela Ridgeway

Absent/Excused: David O'Bryant, Adam Hopkins, Paul Rizzo

- 4. Approval of Minutes of minutes were approved and accepted to place on file.
- 5. General Public: None present
- 6. Chairman's Report: None
- 7. BRA Action Items
- A. Motion to accept accounts payable for October of \$764,075.99 was made by Hart and seconded by Turley. Motion carried.
- B. Mill Payment Request 1 & 2 packets will be sent as a separate packet along with the DDA BRA TIFA agenda.
- C. Mill Update given by City Manager, Erik Wilson, reported that building #1 and 1A is down; Water tower restoration over 3-5 years could cost up to \$500,000.
- 8. DDA Action Items
 - A. Motion to accept accounts payable for October of \$552.89 was made by Larabel and seconded by Wilson. Motion carried.
- 9. TIFA Action Items
 - A. Motion to accept accounts payable for October of \$706.91 was made by Hart and seconded by Wisnaski. Motion carried.
- 10. Communications:

09/28/20 & 10/12/2020 Council Minutes. Also Financial Report/Summary as of 10/31/2020 were accepted and placed on file.

- 11. Public Comments: None
- 12. Staff Comments: Community Development Manager, Siegel reported:

Community Updates: Indoor Market; Ladies, Leaves and Laughter; Shop Small Saturday

Business Updates: Envy opened; Embers Guitar Station open; Blue Nose Shop open **Vacant Buildings**: 200 S. Main St. (purple awning) still on market

Member Comments:

Wisnaski – Council Report: leaf pickup backed up; Water tower vandals have been caught; Recycle program with Republic, not doing a great job looking for alternatives; OSHA confirmed if contractors working on your home do not have proper safety gear, homeowner can be fined.

Adjournment: A Motion to adjourn the meeting 8:32 a.m. was made by Hart and seconded by Turley